

Refine Search

Search Results -

| Terms | Documents |
|------------------------|-----------|
| L1 and arc\$1quenching | 0 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L2

Search History

DATE: Wednesday, April 14, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

L2 L1 and arc\$1quenching

L1 156/169 or 156/173 or 156/175 or 138/158 or 138/168

Hit Count Set Name

result set

0 L2

2957 L1

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|---------------------------------------|-----------|
| (L6 and fuse tube) and @pd > 20040227 | 0 |

Database:

| |
|---|
| US Pre-Grant Publication Full-Text Database |
| US Patents Full-Text Database |
| US OCR Full-Text Database |
| EPO Abstracts Database |
| JPO Abstracts Database |
| Derwent World Patents Index |
| IBM Technical Disclosure Bulletins |

Search:

Search History

DATE: Wednesday, April 14, 2004 [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> side by side | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> result set |
|---|--|------------------|-------------------------------|
| <i>DB=USPT; PLUR=YES; OP=ADJ</i> | | | |
| <u>L7</u> | (L6 and fuse tube) and @pd > 20040227 | 0 | <u>L7</u> |
| <u>L6</u> | (L5 or L3) and @pd > 20040227 | 1 | <u>L6</u> |
| <u>L5</u> | (L4 and (melamine and fib\$4 and epoxy)) and @pd > 20040227 | 1 | <u>L5</u> |
| <u>L4</u> | (138/\$10) and @pd > 20040227 | 136 | <u>L4</u> |
| <u>L3</u> | (L2 and (melamine and fib\$4 and epoxy)) and @pd > 20040227 | 0 | <u>L3</u> |
| <u>L2</u> | (428/34.2 or 428/36.3 or 428/36.4 or 428/36.9 or 428/365) and @pd > 20040227 | 61 | <u>L2</u> |
| <i>DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i> | | | |
| <u>L1</u> | (arc quench\$3 tube and (wind\$3 or wound)) and @pd > 20021111 | 0 | <u>L1</u> |

END OF SEARCH HISTORY

Refine Search

Search Results -

| Terms | Documents |
|--|-----------|
| (arc quench\$3 tube and (wind\$3 or wound)) and @pd > 20021111 | 0 |

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L1

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Wednesday, April 14, 2004 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*L1 (arc quench\$3 tube and (wind\$3 or wound)) and @pd > 200211110 L1

END OF SEARCH HISTORY

09/054986

Also 5127307

Also. 4283312
4173551

340 428/365/CCLS

L5 10 L4 AND ((428/34.2-36.9/CCLST) OR (428/365/CCLS))

=> d 1-

1. 5,891,541, Apr. 6, 1999, Forming a continuous reinforced composite material; Lyndell Kyle Wynne, 428/57, 36.2, 54, 98, 105, 111, 130, 157, 172 [IMAGE AVAILABLE]
2. 5,830,548, Nov. 3, 1998, Articles of manufacture and methods for manufacturing laminate structures including inorganically filled sheets; Per Just Andersen, et al., 428/36.4; 206/524.3, 524.7; 428/35.8, 36.6, 36.91, 43, 116, 152, 155, 182, 317.9, 323, 532, 906 [IMAGE AVAILABLE]
- X 3. 5,744,504, Apr. 28, 1998, Diguanamines and preparation process, derivatives and use thereof; Tetsuya Oishi, et al., 521/50; 428/36.5, 36.92, 524; 524/442; 525/472, 473, 509; 528/230, 248, 253, 254 [IMAGE AVAILABLE]
4. 5,510,166, Apr. 23, 1996, Inhibitor parcel and method for preserving electronic devices or electronic parts; Yoshiaki Inoue, et al., 428/76; 53/474; 206/204; 428/34.3, 35.2, 913 [IMAGE AVAILABLE]
5. 5,415,907, May 16, 1995, Inhibitor parcel and method for preserving electronic devices or electronic parts; Yoshiaki Inoue, et al., 428/36.2; 206/204, 484.2; 428/68, 72, 166, 913 [IMAGE AVAILABLE]
- 7 6. 5,049,435, Sep. 17, 1991, Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof; Keiichi Uno, et al., 428/209; 174/254; 428/301.1, 340, 458, 475.2, 901, 902, 920; 442/378 [IMAGE AVAILABLE]
- X 7. 5,047,270, Sep. 10, 1991, Coated resin molded-article; Shigeo Mori, et al., 428/35.2; 264/209.1, DIG.33; 426/106; 427/519, 520; 428/35.7, 412, 480 [IMAGE AVAILABLE]
- 8. 5,015,514, May 14, 1991, Pultruded or filament wound synthetic resin fuse tube; William M. Rinehart, 428/36.4; 138/140, 153, 172; 337/186, 246, 273, 276, 414; 428/36.91 [IMAGE AVAILABLE]
- 7 9. 4,897,301, Jan. 30, 1990, Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof; Keiichi Uno, et al., 428/209; 174/254; 216/7, 105; 427/96, 389.9, 513; 428/340, 458, 475.2, 901, 902, 920; 442/164, 378 [IMAGE AVAILABLE]
10. 4,713,645, Dec. 15, 1987, Fiber reinforced products and method for producing same; Fereidoon Razavi, 337/246; 138/124, 141; 337/186; 428/34.5 [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 10:15:07 ON 02 SEP 1999)

L1 20000 S ((428/CLAS) OR (156/CLAS)) AND (EPOXY)
L2 3899 S L1 AND (MELAMINE)

L3 1201 S L2 AND (FIBER)
L4 82 S L3 AND (ARC)
L5 10 S L4 AND ((428/34.2-36.9/CCLST) OR (428/365/CCLS))

L4

7 L3 AND (INSULA####)

=> d 1-

1. 5,922,633, Jul. 13, 1999, Thermal latent acid catalyst; Yoshinori Nakane, et al., 502/155, 168, 169; **523/453**; 528/410, 411, 412, 416 [IMAGE AVAILABLE]

2. 5,182,786, Jan. 26, 1993, Active energy beam-curable composition containing particles and coated optical **fiber**; Yoshimasa Kinaga, et al., 385/128, 141; 428/378, 391, 394, 395; 522/78, 79, 80, 81, 82, 83; **523/200, 202, 300**; 524/714, 847 [IMAGE AVAILABLE]

3. 5,008,135, Apr. 16, 1991, **Epoxy** fluorocarbon coating compositions and the process to make the same; Paul J. Giordano, et al., 427/386; **523/169, 435**; 525/113, 121 [IMAGE AVAILABLE]

4. 4,526,911, Jul. 2, 1985, Aluminum cell cathode coating composition; Larry G. Boxall, et al., **523/445, 458, 468**; 524/65, 66, 403, 404 [IMAGE AVAILABLE]

5. 4,283,312, Aug. 11, 1981, Heat curable processable **epoxy** compositions containing aromatic iodonium salt catalyst and copper salt cocatalyst; James V. Crivello, **523/400**; 65/450, 451; 528/88, 90, 91, 92 [IMAGE AVAILABLE]

6. 4,173,551, Nov. 6, 1979, Heat curable compositions; James V. Crivello, **523/457, 458, 466**; 526/89, 90, 131, 192, 193, 195; 528/13, 14, 15, 19, 88, 89, 90, 91, 92, 93, 137, 138, 139, 141, 143, 232, 234, 235, 236, 238, 240, 242, 312, 313, 319, 355, 356, 357, 408, 409, 410, 411, 412, 416, 423 [IMAGE AVAILABLE]

7. 3,770,602, Nov. 6, 1973, RADIATION CROSSLINKABLE POLYMERS PREPARED BY REACTING A POLYEPOXY COMPOUND WITH AN ACRYLIC ANHYDRIDE OF A MONOCARBOXYLIC ACID; Gaetano F. D'Alelio, 522/100; 428/413; **523/435**; 525/530, 531, 922; 526/75, 328.5; 528/112, 365; 558/400, 430, 443; 560/1, 100, 112, 198, 201, 209 [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 10:45:31 ON 02 SEP 1999)

L1 1417 S (EPOXY) AND (MELAMINE) AND (523/CLAS)
L2 259 S L1 AND (FIBER)
L3 19 S L2 AND (ARC)
L4 7 S L3 AND (INSULA####)

(428/34.2+NEXT54/CCLST)
L10 9 L9 AND (428/34.2-36.9/CCLST)

=> d 1-

1. 5,891,541, Apr. 6, 1999, Forming a continuous reinforced composite material; Lyndell Kyle Wynne, **428/57, 36.2, 54, 98, 105, 111, 130, 157, 172** [IMAGE AVAILABLE]
2. 5,830,548, Nov. 3, 1998, Articles of manufacture and methods for manufacturing laminate structures including inorganically filled sheets; Per Just Andersen, et al., **428/36.4; 206/524.3, 524.7; 428/35.8, 36.6, 36.91, 43, 116, 152, 155, 182, 317.9, 323, 532, 906** [IMAGE AVAILABLE]
3. 5,744,504, Apr. 28, 1998, Diguanamines and preparation process, derivatives and use thereof; Tetsuya Oishi, et al., 521/50; **428/36.5, 36.92, 524; 524/442; 525/472, 473, 509; 528/230, 248, 253, 254** [IMAGE AVAILABLE]
4. 5,510,166, Apr. 23, 1996, Inhibitor parcel and method for preserving electronic devices or electronic parts; Yoshiaki Inoue, et al., **428/76; 53/474; 206/204; 428/34.3, 35.2, 913** [IMAGE AVAILABLE]
5. 5,415,907, May 16, 1995, Inhibitor parcel and method for preserving electronic devices or electronic parts; Yoshiaki Inoue, et al., **428/36.2; 206/204, 484.2; 428/68, 72, 166, 913** [IMAGE AVAILABLE]
6. 5,049,435, Sep. 17, 1991, Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof; Keiichi Uno, et al., **428/209; 174/254; 428/301.1, 340, 458, 475.2, 901, 902, 920; 442/378** [IMAGE AVAILABLE]
7. 5,047,270, Sep. 10, 1991, Coated resin molded-article; Shigeo Mori, et al., **428/35.2; 264/209.1, DIG.33; 426/106; 427/519, 520; 428/35.7, 412, 480** [IMAGE AVAILABLE]
8. 5,015,514, May 14, 1991, Pultruded or filament wound synthetic resin fuse tube; William M. Rinehart, **428/36.4; 138/140, 153, 172; 337/186, 246, 273, 276, 414; 428/36.91** [IMAGE AVAILABLE]
9. 4,897,301, Jan. 30, 1990, Flexible sheet reinforced with poly(aromatic amide) non-woven fabric and use thereof; Keiichi Uno, et al., **428/209; 174/254; 216/7, 105; 427/96, 389.9, 513; 428/340, 458, 475.2, 901, 902, 920; 442/164, 378** [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 10:15:07 ON 02 SEP 1999)
L1 20000 S ((428/CLAS) OR (156/CLAS)) AND (EPOXY)
L2 3899 S L1 AND (MELAMINE)
L3 1201 S L2 AND (FIBER)
L4 82 S L3 AND (ARC)
L5 10 S L4 AND ((428/34.2-36.9/CCLST) OR (428/365/CCLST))
L6 1 S L4 AND (156/169-175/CCLST)

(156/169+NEXT6/CCLST)

L7 23 L3 AND (156/169-175/CCLST)

=> d 1-

1. 5,762,746, Jun. 9, 1998, Method of internally insulating a propellant combustion chamber; James A. Hartwell, et al., **156/293**; 60/219, 752, 909; **156/172**; 252/62; 523/138; 528/168 [IMAGE AVAILABLE]

2. 5,629,062, May 13, 1997, **Fiber** reinforced plastic pipe and process for producing the same; Hiroshi Ejiri, et al., **428/36.9**; 138/143, 144, 146; **156/173**, **188**, **190**, **191**, **307.1**; 205/164; **428/34.5**, **35.9**, **36.3**, **36.4**, **36.91** [IMAGE AVAILABLE]

3. 5,609,706, Mar. 11, 1997, Method of preparation of a coated abrasive belt with an endless, seamless backing; Harold W. Benedict, et al., **156/137**, **140**, **169**, **173**, **175**; 451/532, 534, 536, 539 [IMAGE AVAILABLE]

4. 5,573,619, Nov. 12, 1996, Method of making a coated abrasive belt with an endless, seamless backing; Harold W. Benedict, et al., **156/137**, **140**, **169**, **173**, **175**; 451/297, 531, 532, 534, 536, 539 [IMAGE AVAILABLE]

5. 5,556,601, Sep. 17, 1996, Process of manufacturing a tank of low unitary weight notably usable for stocking fluids under pressure; Michel Huvey, et al., **156/172**, **242**, **245**, **273.3** [IMAGE AVAILABLE]

6. 5,512,224, Apr. 30, 1996, Methods for making circuit boards by vacuum impregnation; Jonas Medney, et al., 264/102; **156/161**, **169**, **286**; 264/258, 275, 277, 511 [IMAGE AVAILABLE]

7. 5,478,421, Dec. 26, 1995, Method for making composite structures by filament winding; Jonas Medney, et al., **156/174**, **161**, **169**, **233**, **273.3**; 264/137, 258; **428/107**, **901** [IMAGE AVAILABLE]

8. 5,352,312, Oct. 4, 1994, Method of insulating a rocket motor; David G. Guillot, **156/172**; 60/255; **156/309.6**; 252/299.01, 606; **428/920**; 523/138, 179 [IMAGE AVAILABLE]

9. 5,135,591, Aug. 4, 1992, Process of making a phosphorescent **fiber** reinforced plastic article; Richard L. Vockel, Jr., et al., **156/67**, **166**, **169**, **180**, **242**, **307.3**; 264/258, 297.2, 345; 427/157, 158; **428/690**, **913** [IMAGE AVAILABLE]

10. 5,127,307, Jul. 7, 1992, Method of manufacture of articles employing tubular braids and resin applicator used therein; Robert M. Pimpis, 87/23; 118/234; **156/149**, **172**, **425**, **428** [IMAGE AVAILABLE]

11. 4,943,334, Jul. 24, 1990, Method for making reinforced plastic laminates for use in the production of circuit boards; Jonas Medney, et al., **156/174**, **169**, **233**, **273.3**; 264/137, 258; **428/107**, **901** [IMAGE AVAILABLE]

12. 4,767,017, Aug. 30, 1988, Filament-wound pressure vessel; Francis M. Logullo, Sr., et al., 220/590; **156/172**, **173**, **175**; 220/62.19; **428/297.4**, **377**, **413**; 523/205, 455, 465 [IMAGE AVAILABLE]

13. 4,499,039, Feb. 12, 1985, Method for making plastic article with fibrous reinforcement; Arthur H. Berg, 264/137; **156/171, 245, 247**; 174/209; 220/3.2, 62.22; 264/213, 229, 250, 257, 328.8; **428/34.5** [IMAGE AVAILABLE]
14. RE 30,489, Jan. 20, 1981, Longitudinal load carrying method for **fiber** reinforced filament wound structures; Harry T. Abbott, **156/175**; 60/909; 138/109, DIG.2; **156/425**; 220/62.19, 588, DIG.23; 242/447.1 [IMAGE AVAILABLE]
15. 4,174,243, Nov. 13, 1979, Method and apparatus for wiping resin from filament wound pipe; Gerald M. Magarian, **156/175**; 118/106, 107, DIG.11; **156/425**; 427/345, 355 [IMAGE AVAILABLE]
16. 4,119,748, Oct. 10, 1978, Steel cord reinforced plastic materials; Germain Verbauwheide, et al., **428/34.5**; 138/140, 145, 172; **156/169, 173, 175, 180**; **428/109, 113, 379, 417, 418, 430, 432, 458**; 442/376 [IMAGE AVAILABLE]
17. 4,118,262, Oct. 3, 1978, Longitudinal load carrying method for **fiber** reinforced filament wound structures; Harry Thomas Abbott, **156/175**; 60/909; 138/129, 130, 172, DIG.2; **156/425**; 220/62.19, 588, DIG.23; 242/447.1 [IMAGE AVAILABLE]
18. 4,116,738, Sep. 26, 1978, Continuous production of tubular modular filter elements using nonwoven webs from thermoplastic fibers and products; David B. Pall, **156/167, 172, 226**; 264/149, 150, 159, 171.26, 171.27, 171.28, 248, 339 [IMAGE AVAILABLE]
19. 4,021,281, May 3, 1977, Continuous production of nonwoven tubular webs from thermoplastic fibers and products; David B. Pall, **156/167, 173, 193** [IMAGE AVAILABLE]
20. 3,933,557, Jan. 20, 1976, Continuous production of nonwoven webs from thermoplastic fibers and products; David B. Pall, **156/167, 173, 174, 180, 181**; 264/DIG.75; 442/401 [IMAGE AVAILABLE]
21. 3,902,732, Sep. 2, 1975, Advanced composition ski; Albert A. Fosha, Jr., et al., 280/610; **156/172**; 273/DIG.23; **428/116, 408, 902** [IMAGE AVAILABLE]
22. 3,876,327, Apr. 8, 1975, Non-metallic pump; Valenteen S. Lobanoff, 415/200; **156/172**; 415/217.1; 417/423.14 [IMAGE AVAILABLE]
23. 3,769,126, Oct. 30, 1973, RESINOUS-MICROSPHERE-GLASS **FIBER** COMPOSITE; Robert L. Kolek, **156/172, 330**; **428/34.5, 325, 338, 357, 372, 392, 417** [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 10:15:07 ON 02 SEP 1999)

```
L1      20000 S ((428/CLAS) OR (156/CLAS)) AND (EPOXY)
L2      3899 S L1 AND (MELAMINE)
L3      1201 S L2 AND (FIBER)
L4      82 S L3 AND (ARC)
L5      10 S L4 AND ((428/34.2-36.9/CCLST) OR (428/365/CCLS))
L6      1 S L4 AND (156/169-175/CCLST)
L7      23 S L3 AND (156/169-175/CCLST)
```

=> d 1-

1. 5,922,633, Jul. 13, 1999, Thermal latent acid catalyst; Yoshinori Nakane, et al., 502/155, 168, 169; **523/453**; 528/410, 411, 412, 416 [IMAGE AVAILABLE]
2. 5,773,182, Jun. 30, 1998, Method of light stabilizing a colorant; Ronald Sinclair Nohr, et al., 430/106, 19, 104; 522/75, 88, 89; **523/137** [IMAGE AVAILABLE]
3. 5,691,401, Nov. 25, 1997, Curable resin compositions containing silica-coated microparticles of a cured organosiloxane composition; Yoshitsugu Morita, et al., **523/435, 443**; 524/493, 588, 594, 600; 525/431, 474, 476, 477 [IMAGE AVAILABLE]
4. 5,252,633, Oct. 12, 1993, Polyarylene sulfide resin composition; Shinji Ohara, et al., **523/210, 212, 213, 214**; 524/436, 451, 609 [IMAGE AVAILABLE]
5. 5,182,786, Jan. 26, 1993, Active energy beam-curable composition containing particles and coated optical **fiber**; Yoshimasa Kinaga, et al., 385/128, 141; 428/378, 391, 394, 395; 522/78, 79, 80, 81, 82, 83; **523/200, 202, 300**; 524/714, 847 [IMAGE AVAILABLE]
6. 5,021,497, Jun. 4, 1991, Polyarylene sulfide resin composition; Shinji Ohara, et al., 524/436; **523/200, 212, 213**; 524/437, 451 [IMAGE AVAILABLE]
7. 5,008,135, Apr. 16, 1991, **Epoxy** fluorocarbon coating compositions and the process to make the same; Paul J. Giordano, et al., 427/386; **523/169, 435**; 525/113, 121 [IMAGE AVAILABLE]
8. 4,526,911, Jul. 2, 1985, Aluminum cell cathode coating composition; Larry G. Boxall, et al., **523/445, 458, 468**; 524/65, 66, 403, 404 [IMAGE AVAILABLE]
9. 4,493,913, Jan. 15, 1985, Flame resistant resin composition; Kazushi Hirobe, et al., **523/205, 209, 216**; 524/80, 605 [IMAGE AVAILABLE]
10. 4,283,312, Aug. 11, 1981, Heat curable processable **epoxy** compositions containing aromatic iodonium salt catalyst and copper salt cocatalyst; James V. Crivello, **523/400**; 65/450, 451; 528/88, 90, 91, 92 [IMAGE AVAILABLE]
11. 4,173,551, Nov. 6, 1979, Heat curable compositions; James V. Crivello, **523/457, 458, 466**; 526/89, 90, 131, 192, 193, 195; 528/13, 14, 15, 19, 88, 89, 90, 91, 92, 93, 137, 138, 139, 141, 143, 232, 234, 235, 236, 238, 240, 242, 312, 313, 319, 355, 356, 357, 408, 409, 410, 411, 412, 416, 423 [IMAGE AVAILABLE]
12. 4,130,522, Dec. 19, 1978, Aqueous coating composition and process; Vincent D. McGinniss, 524/561; 204/478, 500; **523/300**; 524/591, 604, 608, 612, 901; 525/281, 350, 359.5, 420, 426, 445, 453, 455, 523, 528, 529; 526/286; 528/360; 544/196 [IMAGE AVAILABLE]
13. 4,097,449, Jun. 27, 1978, Handleable, thermosettable

epoxide-polyanhydride compositions; William J. Heilman, et al.,
523/444, 466, 468; 524/494, 847; 525/112, 117 [IMAGE
AVAILABLE]

14. 4,097,448, Jun. 27, 1978, Thermosettable epoxide-polyanhydride
compositions; William J. Heilman, et al., **523/444, 466, 468**;
524/494, 847; 525/112, 260, 264, 285, 385 [IMAGE AVAILABLE]

15. 4,067,927, Jan. 10, 1978, Copolycondensed vinylphosphonates and
their use as flame retardants; Edward D. Weil, **523/451**; 260/DIG.24;
523/506; 524/123, 124, 125; 525/188, 340, 385, 445, 529, 538;
526/278; 528/108, 287; 987/155 [IMAGE AVAILABLE]

16. 4,056,506, Nov. 1, 1977, Homogeneous polyepoxide-polyanhydride
compositions; William J. Heilman, et al., **523/439, 428, 437,**
444; 525/112 [IMAGE AVAILABLE]

17. 4,017,453, Apr. 12, 1977, Homogeneous polyepoxide-polyanhydride
compositions; William J. Heilman, et al., **523/400**; 525/65, 112, 117,
285, 502, 530 [IMAGE AVAILABLE]

18. 3,997,627, Dec. 14, 1976, Polyester molding compositions containing
hydroxy containing vinyl monomers and coated molded articles thereof;
Yutaka Ichimura, et al., 526/320; **523/508, 509**; 525/303; 526/325
[IMAGE AVAILABLE]

19. 3,770,602, Nov. 6, 1973, RADIATION CROSSLINKABLE POLYMERS PREPARED
BY REACTING A POLYEPOXY COMPOUND WITH AN ACRYLIC ANHYDRIDE OF A
MONOCARBOXYLIC ACID; Gaetano F. D'Alelio, 522/100; 428/413; **523/435**;
525/530, 531, 922; 526/75, 328.5; 528/112, 365; 558/400, 430, 443; 560/1,
100, 112, 198, 201, 209 [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 10:45:31 ON 02 SEP 1999)

L1 1417 S (EPOXY) AND (MELAMINE) AND (523/CLAS)
L2 259 S L1 AND (FIBER)
L3 19 S L2 AND (ARC)

| | |
|-----|----------------------------------|
| L7 | 23 S L3 AND (156/169-175/CCLST) |
| L8 | 3 S L7 AND (ACRYLIC) |
| L9 | 57 S L4 AND (ACRYLIC) |
| L10 | 9 S L9 AND (428/34.2-36.9/CCLST) |

09/05498L

=> d 1-

1. 5,936,506, Aug. 10, 1999, Delay mechanism for retarding relative movement between two members; Stephen Paul Hassler, et al., 337/171, 158, 169, 174 [IMAGE AVAILABLE]
2. 5,805,046, Sep. 8, 1998, Current responsive latching apparatus for disconnecting and isolating an electrical device; Stephen Paul Hassler, et al., 337/168, 158, 169, 171, 174 [IMAGE AVAILABLE]
3. 5,760,673, Jun. 2, 1998, Current limiting fuse and dropout fuseholder; Stephen Paul Hassler, et al., 337/168, 169, 171, 174, 178 [IMAGE AVAILABLE]
4. 5,675,308, Oct. 7, 1997, Current-limiting fuse and housing arrangement having a seal between an element and housing; Henry W. Scherer, et al., 337/186, 159, 168, 176 [IMAGE AVAILABLE]
5. 5,583,729, Dec. 10, 1996, Terminal bushing having integral overvoltage and overcurrent protection; Stephen P. Hassler, et al., 361/39, 41 [IMAGE AVAILABLE]
6. 5,566,423, Oct. 22, 1996, Delay mechanism for retarding relative movement between two members; Stephen P. Hassler, et al., 16/319 [IMAGE AVAILABLE]
7. 5,559,488, Sep. 24, 1996, Current limiting fuse having compact structure; Stephen P. Hassler, et al., 337/158, 160 [IMAGE AVAILABLE]
8. 5,485,136, Jan. 16, 1996, Load break disconnecting device with solid arc suppression means; Stephen P. Johnson, et al., 337/168, 273 [IMAGE AVAILABLE]
9. 5,463,366, Oct. 31, 1995, Current limiting fuse and dropout fuseholder; Stephen P. Hassler, et al., 337/176, 159, 170, 181, 274, 293 [IMAGE AVAILABLE]
10. 5,440,287, Aug. 8, 1995, Current responsive latching apparatus for disconnecting and isolating an electrical device; Stephen P. Hassler, et al., 337/168, 171, 176 [IMAGE AVAILABLE]
11. 5,355,111, Oct. 11, 1994, Nested contact and cap assembly for fuseholder; Stephen P. Haasler, et al., 337/248, 251, 252 [IMAGE AVAILABLE]
12. 5,274,349, Dec. 28, 1993, Current limiting fuse and dropout fuseholder for interchangeable cutout mounting; Stephen P. Hassler, et al., 337/171, 174, 181 [IMAGE AVAILABLE]
13. 5,252,942, Oct. 12, 1993, Fuse links and dual element fuse; Leon Gurevich, 337/163, 159, 164, 295 [IMAGE AVAILABLE]
14. 5,239,291, Aug. 24, 1993, Multi-function heater element for dual element ferrule fuses; Michael C. Henricks, et al., 337/164, 162 [IMAGE AVAILABLE]
15. 4,992,770, Feb. 12, 1991, Fuse with improved spring timer; Keith A. Spalding, et al., 337/164, 166 [IMAGE AVAILABLE]

16. 4,910,490, Mar. 20, 1990, End terminal seal for an electric fuse; Edward J. Knapp, Jr., et al., 337/248, 251 [IMAGE AVAILABLE]
17. 4,625,196, Nov. 25, 1986, Modular under oil expulsion fuse cartridge assembly; Frank J. Muench, et al., 337/204, 217, 249, 250 [IMAGE AVAILABLE]
18. 4,317,099, Feb. 23, 1982, Fuse link; Richard J. Sabis, 337/170, 231 [IMAGE AVAILABLE]
19. 4,313,100, Jan. 26, 1982, **Fuse tube** with mildly **tapered** bore; E. William Schmunk, 337/168, 282 [IMAGE AVAILABLE]
20. 4,307,369, Dec. 22, 1981, High-voltage fuse cutout; Hiram S. Jackson, Jr., 337/282, 273 [IMAGE AVAILABLE]

=> d hist

(FILE 'USPAT' ENTERED AT 12:28:09 ON 07 SEP 1999)

| | |
|-----|-----------------------------------|
| L1 | 1877 S (428/CLAS) AND (138/CLAS) |
| L2 | 4 S L1 AND (FUSE TUBE) |
| L3 | 0 S L2 AND (TAPER##) |
| L4 | 4 S L2 |
| L5 | 0 S L4 AND (ANGLE) |
| L6 | 204 S (FUSE TUBE) |
| L7 | 39 S L6 AND (TAPER##) |
| L8 | 26 S L7 AND (ANGLE) |
| L9 | 20 S L8 AND (DEGREE#) |
| L10 | 0 S L9 AND (138/CLAS) |
| L11 | 0 S L9 AND (428/CLAS) |
| L12 | 20 S L9 |
| L13 | 0 S L12 AND (PREDETERMINED TAPER) |
| L14 | 20 S L12 |

Day : Wednesday

Date: 4/14/2004

Time: 09:16:21

 PALM INTRANET

Inventor Information for 09/054986

| Inventor Name | City | State/Country |
|-------------------|-------------|---------------|
| STAVNES, MARK W. | LAKE ZURICH | ILLINOIS |
| MOORE, JEFFREY A. | LAKE ZURICH | ILLINOIS |
| TOBIN, THOMAS J. | NORTHBROOK | ILLINOIS |

| | | | | | |
|------------|----------|---------------|-----------------|-----------------|--------------|
| Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity Data | Foreign Data |
|------------|----------|---------------|-----------------|-----------------|--------------|

Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 4/14/2004

Time: 09:17:31

 **PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = STAVNES

First Name = MARK W.

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 1 |
|--------------|------------|--------|------------|---|-------------------|
| 09054986 | Not Issued | 071 | 04/03/1998 | FUSE TUBE AND METHOD OF MANUFACTURE THEREOF | STAVNES , MARK W. |

Inventor Search Completed: No Records to Display.**Search Another:
Inventor****Last Name**

STAVNES

First Name

MARK W.

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 4/14/2004

Time: 09:17:39

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = MOORE

First Name = JEFFREY A.

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 15 |
|-----------------|----------------|--------|------------|---|----------------------------|
| <u>29040251</u> | <u>D375506</u> | 150 | 05/26/1995 | WORK MACHINE HAVING ENDLESS GROUND ENGAGING DRIVE BELTS | MOORE , JEFFREY A. |
| <u>29012145</u> | <u>D364879</u> | 150 | 08/24/1993 | WORK MACHINE HAVING ENDLESS GROUND ENGAGING DRIVE BELTS | MOORE , JEFFREY A. |
| <u>09141965</u> | <u>6089328</u> | 150 | 08/28/1998 | HITCH ASSEMBLY FOR A WORK MACHINE | MOORE , JEFFREY A. |
| <u>09138885</u> | Not Issued | 161 | 08/24/1998 | HITCH ASSEMBLY | MOORE , JEFFREY A. |
| <u>09088597</u> | <u>6086142</u> | 150 | 06/01/1998 | ADJUSTABLE OPERATOR STATION FOR A WORK MACHINE AND AN ASSOCIATED METHOD FOR POSITIONING AN OPERATOR STATION RELATIVE TO A CAB FLOOR OF A WORK MACHINE | MOORE , JEFFREY A. |
| <u>09054986</u> | Not Issued | 071 | 04/03/1998 | FUSE TUBE AND METHOD OF MANUFACTURE THEREOF | MOORE , JEFFREY A. |
| <u>08843066</u> | <u>5741180</u> | 150 | 04/11/1997 | "FRESH AIR FLOR MODULATION DEVICE" | MOORE , JEFFREY A. |
| <u>08654295</u> | <u>5749542</u> | 150 | 05/28/1996 | TRANSITION SHOULDER SYSTEM AND METHOD FOR DIVERTING BOUNDARY LAYER AIR | MOOREHOUSE , JEFFREY A. |
| <u>08377321</u> | <u>5674125</u> | 150 | 01/24/1995 | FRESH AIR FLOW MODULATION DEVICE | MOORE , JEFFREY A. |
| <u>08332959</u> | <u>5523049</u> | 150 | 11/01/1994 | HEAT SINK AND METHOD OF FABRICATING | MOORE , JEFFREY A. |
| <u>08208809</u> | <u>5366688</u> | 150 | 03/10/1994 | HEAT SINK AND METHOD OF FABRICATING | MOORE , JEFFREY A. |
| <u>07993750</u> | <u>5279515</u> | 250 | 12/21/1992 | AIR HANDLING UNIT WITH | MOORE , JEFFREY |

| | | | | | |
|-----------------|----------------|-----|------------|---|--------------------|
| | | | | IMPROVED ACOUSTICAL PERFORMANCE | A. |
| <u>07988217</u> | Not Issued | 166 | 12/09/1992 | HEAT SINK AND METHOD OF FABRICATING | MOORE , JEFFREY A. |
| <u>07540583</u> | <u>5115000</u> | 150 | 06/19/1990 | BIODEGRADABLE STARCH PLASTICS INCORPORATING MODIFIED POLYETHYLENE | MOORE , JEFFREY A. |
| <u>07087632</u> | Not Issued | 161 | 08/20/1987 | PRESSURE RELIEF VALVE | MOORE , JEFFREY A. |

Inventor Search Completed: No Records to Display.

**Search Another:
Inventor**

Last Name

MOORE

First Name

JEFFREY A.

Search

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Wednesday

Date: 4/14/2004

Time: 09:18:38

PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = TOBIN

First Name = THOMAS J.

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 17 |
|-----------------|----------------|--------|------------|---|-------------------|
| <u>09219101</u> | <u>6137191</u> | 150 | 12/22/1998 | SOURCE-TRANSFER SWITCHING SYSTEM AND METHOD | TOBIN , THOMAS J. |
| <u>09054986</u> | Not Issued | 071 | 04/03/1998 | FUSE TUBE AND METHOD OF MANUFACTURE THEREOF | TOBIN , THOMAS J. |
| <u>07604700</u> | <u>5303112</u> | 150 | 10/26/1990 | FAULT DETECTION METHOD AND APPARATUS | TOBIN , THOMAS J. |
| <u>07590727</u> | <u>5252780</u> | 150 | 10/01/1990 | SUPPORT ARRANGEMENT FOR A ROTATABLE INSULATOR | TOBIN , THOMAS J. |
| <u>07487356</u> | <u>5091616</u> | 150 | 03/01/1990 | SELF-CONTAINED SWITCH FOR ELECTRICAL DISTRIBUTION CIRCUIT | TOBIN , THOMAS J. |
| <u>07331311</u> | <u>5103111</u> | 150 | 03/30/1989 | SWITCH CONFIGURATION WITH INTEGRAL SENSING AND POWER SUPPLY APPARATUS | TOBIN , THOMAS J. |
| <u>06880867</u> | <u>4690780</u> | 150 | 07/01/1986 | INSULATING MATERIAL AND USE THEREOF IN INSULATORS | TOBIN , THOMAS J. |
| <u>06726862</u> | <u>4677262</u> | 150 | 04/25/1985 | OPERATOR FOR INTERRUPTERS AND DISCONNECT MECHANISMS | TOBIN , THOMAS J. |
| <u>06721616</u> | <u>4596906</u> | 150 | 04/10/1985 | ARRANGEMENT FOR PROVIDING INDEPENDENT ROTARY AND LINEAR DRIVE OUTPUTS FOR HIGH-VOLTAGE SWITCHES | TOBIN , THOMAS J. |
| <u>06721615</u> | <u>4622250</u> | 150 | 04/10/1985 | INSULATING MATERIAL AND USE THEREOF IN INSULATORS | TOBIN , THOMAS J. |

| | | | | | |
|-----------------|----------------|-----|------------|---|-------------------|
| <u>06721614</u> | <u>4752859</u> | 150 | 04/10/1985 | ARRANGEMENT FOR PROVIDING VARIOUS CIRCUIT PROTECTION DEVICE CONFIGURATIONS | TOBIN , THOMAS J. |
| <u>06574361</u> | <u>RE32321</u> | 150 | 01/27/1984 | ELECTRIC SWITCH AND IMPROVED DEVICE USING SAME | TOBIN , THOMAS J. |
| <u>06334481</u> | <u>4459636</u> | 150 | 12/24/1981 | ELECTRICAL CONNECTORS FOR CAPACITORS, IMPROVED CAPACITORS AND ASSEMBLIES THEREOF USING SAME | TOBIN , THOMAS J. |
| <u>06260451</u> | <u>4349803</u> | 150 | 05/04/1981 | FUSE TUBE | TOBIN , THOMAS J. |
| <u>06188660</u> | <u>4370531</u> | 150 | 09/19/1980 | ELECTRIC SWITCH AND IMPROVED DEVICE USING SAME | TOBIN , THOMAS J. |
| <u>06073667</u> | <u>4282504</u> | 150 | 09/10/1979 | FAULT LIMITER HAVING A ONE-PIECE ENCLOSURE OF GLASS-REINFORCED RESIN | TOBIN , THOMAS J. |
| <u>06065379</u> | <u>4246869</u> | 150 | 08/09/1979 | BIRD FEEDER | TOBIN , THOMAS J. |

Inventor Search Completed: No Records to Display.

| | | |
|------------------------|---------------------------------------|--|
| | Last Name | First Name |
| Search Another: | <input type="text" value="TOBIN"/> | <input type="text" value="THOMAS J."/> |
| Inventor | <input type="button" value="Search"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)